

Code:215011

✱ 供应商: 2256

✱ Supplier: 2256

CZ系列船用轴流风机 CZ Series Marine Axial Fans

| 型号<br>Type | 流量<br>Flow Rate (m³/h)           | 全压<br>Total Pressure (Pa) | 静压<br>Static Pressure (Pa) | 转速<br>Speed (r/min) | 重量<br>Weight (kg) |
|------------|----------------------------------|---------------------------|----------------------------|---------------------|-------------------|
| CZ-30A     | 1200<br>1800                     | 300<br>180 ~ 230          | 290<br>150 ~ 200           | 2920                | 45                |
|            | 1200<br>1800                     | 400 ~ 500<br>320 ~ 420    | 390 ~ 490<br>290 ~ 390     | 3500                |                   |
| CZ-30B     | 1200                             | 160 ~ 210                 | 150 ~ 200                  | 2920                |                   |
|            | 1200<br>1800                     | 300<br>230                | 290<br>200                 | 3500                |                   |
| CZ-35B     | 1800<br>3000                     | 410<br>250 ~ 340          | 390<br>200 ~ 290           | 2920                | 55                |
|            | 3000<br>4500                     | 440 ~ 540<br>290          | 390 ~ 490<br>200           | 3500                | 56                |
| CZ-40B     | 3000<br>4500                     | 520<br>350 ~ 450          | 490<br>290 ~ 390           | 2920                | 68                |
| CZ-50B     | 6000<br>9000                     | 630~730<br>590            | 590~690<br>490             | 2920                | 91                |
| CZ-50C     | 9000<br>12000                    | 780<br>670                | 690<br>490                 | 2920                | 111               |
|            | 6000                             | 240 ~ 330                 | 200 ~ 290                  | 1750                | 88                |
| CZ-60A     | 9000<br>12000                    | 250 ~ 340<br>240          | 200 ~ 290<br>150           | 1460                | 106               |
|            | 9000<br>12000<br>15000           | 440<br>280 ~ 380<br>270   | 390<br>200 ~ 290<br>150    | 1750                | 113               |
| CZ-70B     | 9000<br>12000<br>15000           | 420<br>250 ~ 350<br>230   | 390<br>200 ~ 290<br>150    | 1460                | 139               |
|            | 27000<br>30000<br>33000<br>36000 | 640<br>690<br>700<br>670  | 560<br>590<br>570<br>510   | 1460                | 353               |
| CZ-90B     | 36000<br>39000<br>42000          | 930<br>860<br>860         | 780<br>690<br>590          | 1750                | 412               |
|            | 30000<br>33000<br>36000          | 880<br>810<br>640 ~ 740   | 780<br>690<br>490 ~ 590    | 1460                | 374               |



Code:215014


✱ 供应商: 2256, 2181

✱ Supplier: 2256, 2181

## CBZ系列船用防爆轴流通风机


## CBZ Series Marine Explosion-proof Axial Fans

| 型号<br>Type | 流量<br>Flow Rate<br>(m³/h) | 全压<br>Total Pressure<br>(Pa)  | 静压<br>Static Pressure<br>(Pa) | 转速<br>Speed<br>(r/min) | 重量<br>Weight (kg) |     |
|------------|---------------------------|-------------------------------|-------------------------------|------------------------|-------------------|-----|
|            |                           |                               |                               |                        | I                 | II  |
| CBZ-30A    | 1200<br>1800              | 250(26)<br>170(18)            | 230(24)<br>140(15)            | 2920                   | 83                | 78  |
|            | 1400<br>2100              | 360(37)<br>240(25)            | 330(34)<br>200(21)            | 3500                   |                   |     |
| CBZ-40A    | 4500<br>6000              | 550(56)<br>470(48)            | 490(50)<br>370(38)            | 2920                   | 97                | 90  |
|            | 5400<br>7200              | 800(81)<br>680(69)            | 710(72)<br>530(54)            | 3500                   |                   |     |
| CBZ-50B    | 6000<br>9000              | 640(65)<br>560(57)            | 600(61)<br>460(47)            | 2920                   | 111               | 103 |
|            | 72000<br>10000            | 920(93)<br>790(80)            | 860(87)<br>670(68)            | 3500                   | 119               | 111 |
| CBZ-50C    | 9000<br>12000             | 750(76)<br>630(64)            | 650(66)<br>460(47)            | 2920                   |                   |     |
|            | 10000<br>14000            | 1060(107)<br>890(90)          | 940(95)<br>660(67)            | 3500                   | 119               | 111 |
| CBZ-70A    | 12000<br>15000<br>18000   | 410(42)<br>350(36)<br>280(29) | 370(38)<br>280(29)<br>180(19) | 1460                   | 218               | 205 |
|            | 14000<br>18000<br>21000   | 590(60)<br>500(51)<br>410(42) | 530(54)<br>400(41)<br>280(29) | 1750                   | 229               | 216 |
|            |                           |                               |                               |                        |                   |     |
|            |                           |                               |                               |                        |                   |     |



# JCGDL Series Marine or Navy High Efficiency Low Centrifugal Fan

| 型号<br>Type | 流量<br>Flow Rate<br>(m³/h) | 静压<br>Static<br>Pressure(Pa) | 全压<br>Total Pressure<br>(Pa) | 转速<br>Speed<br>(r/min) | 噪声<br>Noise (dB)<br>(A) | 电动机Motor  |            | 重量<br>Weight<br>(kg) |
|------------|---------------------------|------------------------------|------------------------------|------------------------|-------------------------|-----------|------------|----------------------|
|            |                           |                              |                              |                        |                         | Freq (Hz) | Power (kW) |                      |
| JGGDL-60-4 | 6500                      | 1620                         | 1690                         | 1750                   | 85                      | 60        | 5.5        | 274                  |
|            | 9000                      | 1410                         | 1540                         |                        |                         |           |            |                      |
|            | 12000                     | 820                          | 1040                         |                        |                         |           |            |                      |
| JGGDL-70-4 | 9000                      | 1670                         | 1730                         | 1460                   | 85                      | 50        | 11         | 330                  |
|            | 11000                     | 1610                         | 1700                         |                        |                         |           |            |                      |
|            | 14000                     | 1420                         | 1570                         |                        |                         |           |            |                      |
|            | 17000                     | 1100                         | 1320                         |                        |                         |           |            |                      |
| JGGDL-70-6 | 8000                      | 1040                         | 1090                         | 1160                   | 80                      | 60        | 4.0        | 251                  |
|            | 10000                     | 950                          | 1030                         |                        |                         |           |            |                      |
|            | 13000                     | 725                          | 850                          |                        |                         |           |            |                      |
| JGGDL-80-4 | 14000                     | 1940                         | 2030                         | 1460                   | 89                      | 50        | 15         | 362                  |
|            | 18000                     | 1760                         | 1910                         |                        |                         |           |            |                      |
|            | 21000                     | 1430                         | 1640                         |                        |                         |           |            |                      |
|            | 24000                     | 1060                         | 1320                         |                        |                         |           |            |                      |
| JGGDL-80-6 | 9000                      | 1290                         | 1330                         | 1160                   | 83                      | 60        | 7.5        | 362                  |
|            | 12000                     | 1230                         | 1290                         |                        |                         |           |            |                      |
|            | 15000                     | 1080                         | 1190                         |                        |                         |           |            |                      |
|            | 19000                     | 690                          | 850                          |                        |                         |           |            |                      |



Code:215035

✱ 供应商: 2181

✱ Supplier: 2181

## CQ型船用离心通风机 CQ Marine Centrifugal Fans

| 型号Type | 流量Flow Rate (m³/h) | 全压Total Pressure (Pa) | 转速Speed (r/min) | 重量Weight (kg) |
|--------|--------------------|-----------------------|-----------------|---------------|
| CQ2-J  | 500                | 590                   | 2900            | 28            |
| CQ3-J  | 800                | 590                   | 2900            | 27            |
| CQ4-J  | 1800               | 590                   | 2900            | 35            |
| CQ5-J  | 2500               | 590                   | 1450            | 37            |
| CQ6-J  | 3500               | 590                   | 1450            | 44            |
| CQ7-J  | 6000               | 590                   | 1450            | 58            |
| CQ8-J  | 8000               | 590                   | 960             | 91            |
| CQ9-J  | 10000              | 590                   | 960             | 132           |
| CQ10-J | 900                | 1180                  | 2900            | 26            |
| CQ11-J | 1500               | 1180                  | 2900            | 26            |
| CQ12-J | 2200               | 1180                  | 2900            | 38            |
| CQ13-J | 2800               | 1180                  | 2900            | 37            |
| CQ14-J | 5000               | 1180                  | 1450            | 99            |
| CQ15-J | 7500               | 1180                  | 1450            | 118           |
| CQ16-J | 9000               | 1180                  | 1450            | 113           |
| CQ17-J | 12000              | 1180                  | 1450            | 159           |
| CQ18-J | 600                | 1960                  | 2900            | 26            |
| CQ19-J | 2000               | 1960                  | 2900            | 43            |
| CQ20-J | 3500               | 1960                  | 2900            | 66            |
| CQ21-J | 5000               | 1960                  | 2900            | 116           |
| CQ22-J | 9000               | 1960                  | 1450            | 177           |
| CQ23-J | 800                | 4410                  | 2900            | 65            |
| CQ24-J | 1000               | 1960                  | 2900            | 35            |

⚓ Notes:Certificate CCS.



Code:215033

☼ 供应商: 2206, 2181

☼ Supplier: 2206, 2181

## CBL系列船用防爆离心通风机

## CBL Series Marine Explosion-proof Centrifugal Fans

| 型号Type | 流量Flow Rate(m³/h) | 全压Total Pressure (Pa) | 静压Static Pressure (Pa) | 转速Speed (r/min) |
|--------|-------------------|-----------------------|------------------------|-----------------|
| CBL-15 | 500               | 549(60)               | 590(60)                | 2920            |
|        | 800               | 539(55)               | 392(40)                |                 |
|        | 600               | 784(80)               | 588(60)                | 3500            |
|        | 960               | 647(66)               | 470(48)                |                 |
| CBL-19 | 1500              | 902(92)               | 735(75)                | 2920            |
|        | 2000              | 882(90)               | 588(60)                |                 |
|        | 1800              | 1294(132)             | 1059(108)              | 3500            |
|        | 2400              | 1265(129)             | 843(86)                |                 |
| CBL-24 | 3000              | 1637(167)             | 343(35)                | 2920            |
|        | 4000              | 1559(159)             | 245(25)                |                 |
|        | 3600              | 2353(240)             | 1971(201)              | 3500            |
|        | 4800              | 2235(228)             | 1549(158)              |                 |
| CBL-26 | 4000              | 1912(193)             | 1569(160)              | 2900            |
|        | 4800              | 2745(280)             | 2255(230)              | 3500            |
| CBL-32 | 4000              | 745(76)               | 588(60)                | 1460            |
|        | 5000              | 735(75)               | 490(50)                |                 |
|        | 4800              | 1068(109)             | 843(86)                | 1750            |
|        | 6000              | 1059(108)             | 706(75)                |                 |
| CBL-37 | 6000              | 1010(148)             | 833(85)                | 1460            |
|        | 7200              | 990(101)              | 735(75)                |                 |
|        | 7200              | 1451(148)             | 1196(122)              | 1750            |
|        | 8600              | 1421(145)             | 1059(108)              |                 |
| CBL-40 | 5000              | 1216(124)             | 1078(110)              | 1460            |
|        | 6000              | 1176(120)             | 980(100)               |                 |
|        | 6000              | 1745(178)             | 1549(158)              | 1750            |
|        | 7200              | 1686(172)             | 1412(144)              |                 |

⚓ Notes:Certificate CCS.