




蝶形舱口盖 Butterfly Type Hatch

尺寸 Dimensions (mm)

宽 × 高 (W × H) (W-20) × (H-20)

标准 Standard	ISO, JIS, BSMA	Installation Method	Welded/Bolted
材料 Materials	Al.-alloy or steel	Size	According to Client request



Code: 110138



✳ 供应商: 2125

✳ Supplier: 2125

GB/T 3728-1995 舱口盖 Hatch Cover (Type A)

Unit: mm

型号 Type	通孔尺寸 Size of Clear Opening $L_1 \times B_1 \times R$	盖板尺寸 Size of Cover $L_2 \times B_2$	盖板厚度 Thickness of Cover	重量 Weight(kg)
A	420 × 600 × 100	508 × 688	4	24.4
AL		512 × 692	6	31.1
AS		516 × 696	8	37.7




GB/T 3728-1995 舱口盖 Hatch Cover (Type B)

Unit: mm

型号 Type	通孔尺寸Size of Clear Opening L1 × B1 × R	盖板尺寸 Size of Cover L2 × B2	盖板厚度 Thickness of Cover	重量 Weight(kg)
B	420 × 600 × 100	508 × 688	4	28.7
		512 × 692	6	35.4
		516 × 696	8	42.0
	500 × 500 × 100	508 × 588	4	28.5
		592 × 592	6	35.1
		596 × 596	8	41.7
BL	600 × 600 × 100	688 × 688	4	33.5
		692 × 692	6	42.4
		696 × 696	8	51.2
BS	600 × 800 × 100	688 × 888	4	39.7
		692 × 892	6	51.2
		696 × 896	8	62.3
	800 × 800 × 100	888 × 888	4	51.2
		892 × 892	6	65.3
		896 × 896	8	79.4
	800 × 1200 × 100	888 × 1288	4	71.4
		892 × 1292	6	91.5

↑ Notes: Certificate ABS, BV, CCS, DNV, LR.



Code:110140


☼ 供应商: 2125

☼ Supplier: 2125

GB/T 3728-1995 舱口盖 Hatch Cover (Type D) Unit: mm

型号 Type	舱口尺寸 Size of Clear Opening $L1 \times B1 \times R1$	盖板尺寸 Size of Cover $L2 \times B2$	甲板开口尺寸 Thickness Opening $L3 \times B3 \times R1$	盖板厚度 Thickness of Cover t	围板厚度 Coaming Thickness t_0	重量 Weight (kg)
D DL DS	$530 \times 530 \times 115$	588×588	$622 \times 622 \times 161$	4	6	46.7
		592×592	$622 \times 622 \times 161$	6	6	53.3
		596×596	$626 \times 626 \times 163$	8	8	63.6
D DL DS	$630 \times 630 \times 115$	688×688	$722 \times 722 \times 161$	4	6	57.4
		692×692	$722 \times 722 \times 161$	6	6	66.1
		696×696	$726 \times 726 \times 163$	8	8	80.5
	$630 \times 630 \times 115$	688×688	$722 \times 922 \times 163$	4	6	73.9
		692×692	$726 \times 926 \times 163$	6	8	91.5
		696×696	$726 \times 926 \times 163$	8	8	106.3
	$830 \times 830 \times 115$	892×892	$926 \times 926 \times 163$	6	8	114.9
		896×896	$926 \times 926 \times 163$	8	8	129.0

⚓ Notes: Certificate ABS, BV, CCS, DNV, LR.



Code: 110141



☼ 供应商: 2125

☼ Supplier: 2125

GB/T 3728-1995 舱口盖 Hatch Cover (Type.E, F)

Unit: mm

型号 Type	通孔尺寸 Size of Clear Opening $L1 \times B1 \times R$	盖板尺寸 Size of Cover $L2 \times B2$	盖板厚度 Thickness of Cover (mm)	重量 Weight(kg)	
				Type E	Type F
E EL ES F FL FS	$420 \times 600 \times 100$	508×688	4	20.9	22.2
		512×692	6	27.6	28.8
	$500 \times 500 \times 100$	588×588	4	20.7	22.0
		592×592	6	27.3	28.5
	$600 \times 600 \times 100$	688×888	4	26.3	27.1
		692×692	6	35.1	35.9
	$600 \times 800 \times 100$	688×888	4	32.5	33.1
		692×892	6	43.6	44.2
	$800 \times 800 \times 100$	888×888	4	39.2	40.5
		892×892	6	53.3	54.5




CB* 3274-85 通气舱口盖 Breather Hatch Cover

Unit: mm

型号 Type	通孔尺寸 Size of Clear Opening	盖板尺寸 Size of Cover		开口尺寸 Cut-out Size		围板 Coaming			重量 Weight (kg)	
	A × B	A ₁ × B ₁	t	A ₂ × B ₂	R ₂	R	t ₁	H	H=450	H=600
A1	530 × 530	586 × 586	6	500 × 500	77	92	11	450 or 600	121.2	146.5
A2	630 × 630	686 × 686		600 × 600					125.8	183.2
A3	730 × 730	786 × 786		700 × 700					183.3	218.8
B1	550 × 800	590 × 840	5	520 × 770	25		8	100	76.9	
B2	650 × 1200	690 × 1240		620 × 1170					109.4	
B3	750 × 1500	790 × 1540		720 × 1470					141.9	

↓ Notes: 1. A-Weathertight Breather Hatch Cover; B-Non-Weathertight Breather Hatch Cover;
2.Certificate CCS.



Code: 110154

☼ 供应商: 2224

☼ Supplier: 2224

CB/T 3728-1995 E、EL、ES、F、FL、FS型舱口盖 Hatch Cover

通孔尺寸 Size of Clear Opening L × W × R (mm)	盖板厚度 Thickness of Cover (mm)	重量 Weight (kg)	
		Type E	Type F
420 × 600 × 100	4/6	20.9/27.6	22.2/28.8
500 × 500 × 100	4/6	20.7/27.3	22.0/28.5
600 × 600 × 100	4/6	26.3/35.1	27.1/35.9
600 × 800 × 100	4/6	32.5/43.6	33.1/44.2
800 × 800 × 100	4/6	39.2/53.3	40.5/54.5